

# SAFETY DATA SHEET

## HOSPECO INSTANT HAND SANITIZER/ HANDISAN

Infosafe No.: LQ54U  
ISSUED Date : 20/11/2020  
ISSUED by: HOSPECO PTY LTD

### 1. IDENTIFICATION

**GHS Product Identifier**

HOSPECO INSTANT HAND SANITIZER/ HANDISAN

**Company Name**

HOSPECO PTY LTD

**Address**

17 Elizabeth Street Wetherill Park  
NSW 2164 AUSTRALIA

**Telephone/Fax Number**

Tel: +61 2 9756 0055

Fax: +61 2 9756 0095

**Emergency phone number**

1800 638 556

**Recommended use of the chemical and restrictions on use**

Personal cleaning – Hand Sanitizing

### 2. HAZARD IDENTIFICATION

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Flammable Liquids: Category 1

Eye Damage/Irritation: Category 2A

**Signal Word (s)**

DANGER

**Hazard Statement (s)**

H224 Extremely flammable liquid and vapour.

H319 Causes serious eye irritation.

**Pictogram (s)**

Flame, Exclamation mark

**Precautionary statement – Prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P264 Wash contaminated skin thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statement – Response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P370+P378 In case of fire: Use carbon dioxide, dry chemical, alcohol resistant foam, water spray or fog for extinction.

#### Precautionary statement – Storage

P403+P235 Store in a well-ventilated place. Keep cool.

#### Precautionary statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

#### Other Information

This product contains Ototoxic substances. Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

| Name   | CAS     | Proportion |
|--|---------|------------|
| Ethanol  | 64-17-5 | 60-100 %   |
| Ingredients determined not to be hazardous, including water. |         | Balance    |

### 4. FIRST-AID MEASURES

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

#### Skin

The product is designed for skin contact. If there is a reaction, remove all affected clothing and wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. If symptoms develop and/or persist seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

#### First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

#### Advice to Doctor

Treat symptomatically.

#### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## 5. FIRE-FIGHTING MEASURES

---

### **Suitable Extinguishing Media**

Use carbon dioxide, dry chemical, alcohol resistant foam, water spray or fog.

### **Unsuitable Extinguishing Media**

Do not use water jet.

### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

### **Specific Hazards Arising From The Chemical**

Extremely flammable liquid and vapour. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard.

### **Hazchem Code**

•2YE

### **Decomposition Temperature**

Not available

### **Precautions in connection with Fire**

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. In case of fire the product may be violently or explosively reactive. Use water spray to disperse vapours. This product should be prevented from entering drains and watercourses.

## 6. ACCIDENTAL RELEASE MEASURES

---

### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. As a water based product, if spilt on electrical equipment the product will cause short-circuits.

## 7. HANDLING AND STORAGE

---

### **Precautions for Safe Handling**

Industrial application: Wear appropriate personal protective equipment and clothing to prevent exposure. Handle and use the material in a well-ventilated area, away from sparks, flames and other ignition sources. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Work from suitable, labelled, fire-resistant containers. Open containers carefully as they may be under pressure. Keep containers tightly closed. Flameproof equipment is necessary in areas where the product is being used. Take precautionary measures against static discharges. Earth or bond all equipment. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

### **Conditions for safe storage, including any incompatibilities**

Industrial application: Store in a cool, dry, well-ventilated area away from sources of ignition, foodstuffs, clothing and incompatible materials such as oxidising agents. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### **Occupational exposure limit values**

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Ethanol

TWA: 1000 ppm, 1880 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia

#### **Biological Limit Values**

No biological limit allocated.

#### **Appropriate Engineering Controls**

Industrial applications: This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

#### **Respiratory Protection**

Industrial Application: If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### **Eye Protection**

Industrial Application: Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

#### **Hand Protection**

Industrial Application: Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Properties                             | Description   | Properties               | Description                  |
|--|---------------|--------------------------|------------------------------|
| Form                                   | Liquid        | Appearance               | Clear liquid                 |
| Colour                                 | Clear         | Odour                    | Typical odour                |
| Decomposition Temperature              | Not available | Melting Point            | Not available                |
| Boiling Point                          | >30°C         | Solubility in Water      | Completely miscible          |
| Specific Gravity                       | Not available | pH                       | 5.0-7.0                      |
| Vapour Pressure                        | Not available | Vapour Density (Air=1)   | Not available                |
| Evaporation Rate                       | Not available | Odour Threshold          | Not available                |
| Viscosity                              | Not available | Volatile Component       | Not available                |
| Partition Coefficient: n-octanol/water | Not available | Density                  | 0.87 ± 0.01g/cm <sup>3</sup> |
| Flash Point                            | >22°C         | Flammability             | Extremely flammable          |
| Auto-Ignition Temperature              | Not available | Flammable Limits - Lower | Not available                |
| Flammable Limits - Upper               | Not available |                          |                              |

## 10. STABILITY AND REACTIVITY

### Chemical Stability

Stable under normal conditions of storage and handling.

### Reactivity and Stability

Reacts with incompatible materials.

### Conditions to Avoid

Heat, sources of ignition, and open flame. Protect from freezing.

### Incompatible materials

Strong alkalis, oxidizers and chlorinated solution.

### Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.

### Possibility of hazardous reactions

Not available

### Hazardous Polymerization

Hazardous polymerisation will not occur.

## 11. TOXICOLOGICAL INFORMATION

### Toxicology Information

No toxicity data available for this material.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

### Skin

The product is designed for skin contact. Not expected to have adverse effects when in contact with skin. However for individuals with sensitive skin, product may cause redness, itching or irritation.

**Eye**

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

**Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

**Other Information**

This product contains Ototoxic substances. Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

---

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Product degrades

**Mobility**

Completely miscible

**Bioaccumulative Potential**

Does not bio-accumulate

**Other Adverse Effects**

Not available

**Environmental Protection**

Do not discharge this material into waterways, drains and sewers.

**Hazardous to the Ozone Layer**

No Chlorofluorocarbon (CFC), no regulated ingredients.

---

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal considerations**

Dispose of waste according to applicable local and national regulations. Labels should not be removed from containers until they have been cleaned. Do not cut, puncture or weld on or near containers. Empty containers may contain flammable residues. Contaminated containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then re-used or disposed of by landfill or incineration as appropriate. Do not incinerate closed containers. Advise flammable nature.

---

**14. TRANSPORT INFORMATION**

---

**Transport Information**

Road and Rail Transport (ADG Code):

This material is a Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and

Rail. (7th edition)

Class 3 - Flammable Liquids are incompatible in a placard load with any of the following:

- Class 1: Explosives

- Division 2.1: Flammable Gases.

(Division 2.1 and Class 3 are incompatible in transport if both are in tanks or other receptacles with a capacity individually exceeding 500 L)

- Division 2.3: Toxic Gases

- Division 4.2: Spontaneously Combustible Substances

- Division 5.1: Oxidising substances

- Division 5.2: Organic Peroxides

- Class 6: Toxic or Infectious Substances

(where the flammable liquid is nitromethane)

- Class 7: Radioactive materials unless specifically exempted

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Class/Division: 3

UN No: 1170

Proper Shipping Name: ETHANOL SOLUTION

Packing Group: II

EMS: F-E, S-D

Special Provisions: 144

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Class/Division: 3

UN No: 1170

Proper Shipping Name: ETHANOL SOLUTION

Packing Group: II

Packaging Instructions (passenger & cargo): 353

Packaging Instructions (cargo only): 364

Hazard Label: Flammable Liquid

Special Provisions: A3, A58, A180

**U.N. Number**

1170

**UN proper shipping name**

ETHANOL SOLUTION

**Transport hazard class(es)**

3

**Packing Group**

II

**Hazchem Code**

•2YE

**IERG Number**

14

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

**Special Precautions for User**

Not available

## 15. REGULATORY INFORMATION

---

### Regulatory information

Classified as hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

### Poisons Schedule

Not Scheduled

## 16. OTHER INFORMATION

---

### Date of preparation or last revision of SDS

SDS Reviewed: November 2020 Supersedes: December 2015

### References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.